

SCRUBTEC R 4

SCRUBTEC R 4 / BOOST R 4





Large recovery tank opening with standard debris tray.



All models are prepared for the optional integrated chemical mixing system.



Large non marking/oil resistant wheels and easy to clean solution filter.



Easy to understand control panel and adjustable steering wheel for optimal ergonomics.



- For use in:
- Manufacturing
 - Warehouses
 - Repair shops

The ideal machine for everyday cleaning work

The platform called SCRUBTEC R 466, 471, 471C and BOOST R 4 is one of the most versatile platforms in our range - suitable for different kinds of places, areas and applications - and able to meet most customer expectations.

- Reliable and well tested using many known core components.
- An innovative scrubbing deck concept, totally new (and patented) for a ride-on scrubber.
- Ergonomic seat and easy to understand control panel.
- Very safe thanks to a traction control (patented). This function automatically reduces speed when turning or driving on a ramp (no tilt).
- Effective known gimbal brush system, cleans on uneven floors.
- Scrubbing speed control on control panel.

The SCRUBTEC R 4 is the smallest rider scrubber dryer in the Nilfisk range. It is very competitive thanks to price, ergonomics, performance, innovation, features and reliability. This machine represents unique innovation/feature, never seen before, without compromising on cleaning performance.

- Low noise level and with the additional "Low noise mode" it can be reduced further for cleaning in noise-sensitive areas.
- Its extreme compactness guarantees to the machine an easy access to congested areas.
- Excellent cleaning performance for such a small machine
- Thanks to the high speed of this machines, the main areas for this machine are mid-size areas where medium duty cleaning is required, and where a large walk behind scrubber dryer is not efficient enough.



Models and specifications

SCRUBTEC R 4 / SCRUBTEC BOOST R 4

- The parabolic squeegee perfectly covers the scrubbing track without leaving traces.
- Ergonomic seat and steering wheel.
- Long running time up-to 4.2 hours (BOOST model).
- Patented automatic speed control that significantly increases operator safety.
- Super compact design makes cleaning of restricted space areas fast and easy.
- Low noise mode makes daytime cleaning and cleaning in noise-sensitive areas viable.
- Robust and extremely versatile machine suitable for many different application areas.
- Ergonomic and low placed inclined foot platform: easy driver access from both sides of the machine.

TECHNICAL SPECIFICATIONS

Description	SCRUBTEC R 466	SCRUBTEC R 471	SCRUBTEC R 471 C	SCRUBTEC BOOST R 4
Item no.	9087270020	9087271020	9087272020	9087273020
Cleaning width (mm)	660	710	710	710
Squeegee width (mm)	890	890	890	890
Theoretical surface performance (m ² /h)	3960	4260	4260	4260
Working speed (km/h)	6	6	6	6
Tank capacity solution / recovery (l)	80/80	80/80	80/80	80/80
Brush/Pad size (mm)	2 x 330	2 x 355	2 x 690 Cyl.	710 x 356
Brush motor (W)	2 x 400	2 x 400	2 x 600	1 x 560
Brush pressure (kg)	30 - 48	32- 50	35	37- 55
Brush speed (RPM)	230	230	720	2250
Vacuum motor power (W)	420	420	420	420
Power source, battery (V)	24	24	24	24
Traction motor power (W)	300	300	300	300
Dimensions L x W x H (mm)	1360 x 670 x 1190	1360 x 748 x 1190	1360 x 810 x 1190	1360 x 780 x 1190
Weight with batteries (kg)	299	301	304	306
Features:				
Battery version	•	•	•	•
On-board charger	•	•	•	•
Chemical mixing system	•	•	•	•
Magic scrub deck	•	•		•
Wet sweep function			•	
Automatic speed control	•	•	•	•
Adjustable brush pressure	•	•	•	•
Standard equipment:				
Squeegee	•	•	•	•
Pad, red				•
On-board charger	•	•	•	•

