According to EC-Regulation 2015/830



SAFETY DATA SHEET

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name Nilfisk Boat Cleaner Product no. 125300391 REACH registration number Not applicable 1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses of the substance or mixture

Chemicals for retail sale Uses advised against

The full text of any mentioned and identified use categories are given in section 16 **1.3. Details of the supplier of the safety data sheet**

Company and address

Nilfisk A/S Kornmarksvej 1 Brøndby DK-2605 Tlf.: +45 43 23 40 50 **Contact person**

E-mail

SDS date

2016-11-22 SDS Version

1.1

1.4. Emergency telephone number

Contact The National Poisons Information Service (dial 111, 24 h service). See section 4 "First aid measures".

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Eye Irrit. 2; H319 See full text of H-phrases in section 2.2.

2.2. Label elements

Hazard pictogram(s)



Safety statement(s) General

If medical advice is needed, have product container or label at hand. (P101).

According to EC-Regulation 2015/830



D	Keep out of reach of children. (P102).
Prevention	Wear eye protection. (P280).
Response	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. (P305+P351+P338).
	If eye irritation persists: Get medical advice/attention. (P337+P313).
Storage	•
Disposal	-
Identity of the substance	s primarily responsible for the major health hazards
3. Other hazards	
Additional labelling	
Additional warnings	

voc

2.3.

-

SECTION 3: Composition/information on ingredients

3.1/3.2. Substances/Mixtures

NAME: IDENTIFICATION NOS.: CONTENT: CLP CLASSIFICATION:	alpha,-Alkyl,C10-16,omega,-hydroxypoly,oxyethylene,sulfate,sodium,salt CAS-no: 68585-34-2 EC-no: 500-223-8 1-3% Skin Irrit. 2, Eye Irrit. 2 H315, H319
NAME: IDENTIFICATION NOS.: CONTENT: CLP CLASSIFICATION:	Alanine, N,N-bis(carboxymethyl)-, trisodium salt CAS-no: 164462-16-2 REACH-no: 01-0000016977-53 1-3% NA
NAME: IDENTIFICATION NOS.: CONTENT: CLP CLASSIFICATION:	Fedtalkoholethoxylat CAS-no: 69011-36-5 EC-no: - REACH-no: 02-2119549526-31-0000 1-3% Eye Dam. 1, Acute Tox. 4 H318, H302
NAME: IDENTIFICATION NOS.: CONTENT: CLP CLASSIFICATION:	amider, kokos-, N,N-bis-(hydroxyethyl) CAS-no: 68603-42-9 EC-no: 271-657-0 <1% Skin Irrit. 2, Eye Dam. 1 H315, H318
NAME: IDENTIFICATION NOS.: CONTENT: CLP CLASSIFICATION:	paraffinolier, sulfochlorerede, forsæbede CAS-no: 68188-18-1 EC-no: 269-144-1 <1% Acute Tox. 4, Skin Irrit. 2, Eye Irrit. 2 H302, H315, H319,
NAME: IDENTIFICATION NOS.: CONTENT: CLP CLASSIFICATION: NOTE:	acetic acid % CAS-no: 64-19-7 EC-no: 200-580-7 Index-no: 607-002-00-6 <0.1% Flam. Liq. 3, Skin Corr. 1A H226, H314 SL
NAME: IDENTIFICATION NOS.: CONTENT: CLP CLASSIFICATION:	sodium hydroxide CAS-no: 1310-73-2 EC-no: 215-185-5 Index-no: 011-002-00-6 <0.05% Skin Corr. 1A H314

(*) See full text of H-phrases in chapter 16. Occupational exposure limits are listed in section 8, if these are available. S = Organic solvent L = European occupational exposure limit.

Other information

ATEmix(inhale, vapour) > 20



ATEmix(inhale, dust/mist) > 20 ATEmix(inhale, dust/mist) > 20000 ATEmix(dermal) > 2000 ATEmix(oral) > 2000 Eye Cat. 2 Sum = Sum(Ci/S(G)CLi) = 1,324 - 1,986 Skin Cat. 2 Sum = Sum(Ci/S(G)CLi) = 0,168 - 0,252 Detergent: < 5%: ANIONIC SURFACTANTS, NON-IONIC SURFACTANTS

SECTION 4: First aid measures

4.1. Description of first aid measures

VGeneral information

In the case of accident: Contact a doctor or casualty department – take the label or this safety data sheet. The doctor can contact The National Poisons Information Service (dial 111, 24 h service). Contact a doctor if in doubt about the injured person's condition or if the symptoms persist. Never give an unconscious person water or other drink.

Inhalation

Bring the injured person into fresh air. Make sure the injured person is continuously monitored. Prevent shock by keeping the injured person warm and calm. If breathing ceases, give mouth-to-mouth resuscitation. If unconscious, roll the injured person into recovery position. Call an ambulance.

Skin contact

Immediately remove contaminated clothing and shoes. Ensure that skin, which has been exposed to the material, is washed thoroughly with water and soap. Skin cleanser can be used. DO NOT use solvents or thinners.

Eye contact

Remove contact lenses and open eyes widely. Flush eyes with water or saline water(20-30°C) for at least 15 minutes. Seek medical assistance and continue flushing during transport.

Ingestion

Provide plenty of water for the person to drink and stay with him/her. In case of malaise, seek medical advice immediately and bring the safety data sheet or label from the product. Do not induce vomiting, unless recommended by the doctor. Have the victim lean forward with head down to avoid inhalation of- or choking on vomited material.

Burns

Not applicable

4.2. Most important symptoms and effects, both acute and delayed

Irritation effects: This product contains substances, which may cause irritation upon exposure to skin, eyes or lungs. Exposure may result in an increased absorption potential of other hazardous substances at the area of exposure.

4.3. Indication of any immediate medical attention and special treatment needed

If eye irritation persists: Get medical advice/attention.

Information to medics

Bring this safety data sheet.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Recommended: alcohol-resistant foam, carbonic acid, powder, water mist. Waterjets should not be used, since they can spread the fire.

5.2. Special hazards arising from the substance or mixture

If the product is exposed to high temperatures, e.g. in the event of fire, dangerous catabolic substances are produced. These are: Carbon oxides. Fire will result in dense black smoke. Exposure to combustion products may harm your health. Fire fighters should wear appropriate protection equipment. Closed containers, which are exposed to fire, should be cooled with water. Do not allow fire-extinguishing water to enter the sewage system and nearby surface waters.

5.3. Advice for firefighters

Wear self-contained breathing apparatus and protective clothing to prevent contact. Upon direct exposure contact The National Poisons Information Service (dial 111, 24 h service) in order to obtain further advice.

SECTION 6: Accidental release measures



6.1. Personal precautions, protective equipment and emergency procedures No specific requirements.

6.2. Environmental precautions

No specific requirements.

6.3. Methods and material for containment and cleaning up

Use sand, sawdust, earth, vermiculite, diatomaceous earth to contain and collect non-combustible absorbent materials and place in container for disposal, according to local regulations. To the extent possible cleaning is performed with normal cleaning agents. Avoid use of solvents.

6.4. Reference to other sections

See section on "Disposal considerations" in regard of handling of waste. See section on 'Exposure controls/personal protection' for protective measures.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Smoking, storage of tobacco, consumption and storage of food or liquids are not allowed in the workrooms. See section on 'Exposure controls/personal protection' for information on personal protection.

7.2. Conditions for safe storage, including any incompatibilities

Always store in containers of the same material as the original container. Containers that have been opened must be carefully resealed and kept upright to prevent leakage.

Storage temperature

No data available.

7.3. Specific end use(s)

This product should only be used for applications quoted in section 1.2

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

OEL

sodium hydroxide (EH40, 2005) Long-term exposure limit (8-hour TWA reference period): - ppm | - mg/m³ Short-term exposure limit (15-minute reference period): - ppm | 2 mg/m³ DNEL / PNEC

DNEL (paraffinolier, sulfochlorerede, forsæbede): 10 mg/m3 Exposure: Inhalation Duration of Exposure: Long term – Local effects - Workers DNEL (paraffinolier, sulfochlorerede, forsæbede): 17 mg/kg bw/dag Exposure: Dermal Duration of Exposure: Long term – Systemic effects - Workers DNEL (paraffinolier, sulfochlorerede, forsæbede): 10 mg/kg bw/dag Exposure: Dermal Duration of Exposure: Long term – Systemic effects - General population PNEC (paraffinolier, sulfochlorerede, forsæbede): 0,02 mg/kg

Exposure: Soil PNEC (paraffinolier, sulfochlorerede, forsæbede): 8,1 mg/L Exposure: Sewage Treatment Plant PNEC (paraffinolier, sulfochlorerede, forsæbede): 0,17 mg/kg Exposure: Freshwater sediment PNEC (paraffinolier, sulfochlorerede, forsæbede): 0,017 mg/kg Exposure: Marine water sediment PNEC (paraffinolier, sulfochlorerede, forsæbede): 0,2 µg/L Exposure: Marine water PNEC (paraffinolier, sulfochlorerede, forsæbede): 20 µg/L Exposure: Freshwater

8.2. Exposure controls

Compliance with the given occupational exposure limits values should be controlled on a regular basis. **General recommendations**

Observe general occupational hygiene standards.

Exposure scenarios

In the event exposure scenarios are appended to the safety data sheet, the operational conditions and risk management measures in these shall be complied with.

Exposure limits



Professional users are subjected to the legally set maximum concentrations for occupational exposure. See occupational hygiene limit values above.

Appropriate technical measures

Airborne gas and dust concentrations must be kept at a minimum and below current limit values (see above). Installation of an exhaust system if normal air flow in the work room is not sufficient is recommended. Ensure emergency eyewash and -showers are clearly marked.

Hygiene measures

In between use of the product and at the end of the working day all exposed areas of the body must be washed thoroughly. Always wash hands, forearms and face.

Measures to avoid environmental exposure

No specific requirements.

Individual protection measures, such as personal protective equipment



Generally

Use only CE marked protective equipment.

Respiratory Equipment

No specific requirements.

Skin protection

Dedicated work clothing should be worn.

Hand protection

Recommended: Nitrile rubber. See the manufacturer's instructions.

Eye protection

Wear safety glasses with side shields.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Form	Liquid
Colour	Yellowish
Odour	Characteristic
pH	8,0
Viscosity (40°C)	No data available.
Density (g/cm ³)	1,03
Phase changes	
Melting point (°C)	No data available.
Boiling point (°C)	No data available.
Vapour pressure	No data available.
Data on fire and explosion hazards	
Flashpoint (°C)	No data available.
Ignition (°C)	No data available.
Self-ignition (°C)	No data available.
Explosion limits (Vol %)	No data available.
Solubility	
Solubility in water	Soluble
n-octanol/water coefficient	No data available.
9.2. Other information	
Solubility in fat (g/L)	No data available.

SECTION 10: Stability and reactivity

10.1. Reactivity

No data available

10.2. Chemical stability

The product is stable under the conditions, noted in the section "Handling and storage".

10.3. Possibility of hazardous reactions



No special

10.4. Conditions to avoid

Do not expose to any forms of heat (e.g. solar radiation). May lead to excess pressure. **10.5.** Incompatible materials

Strong acids, strong bases, strong oxidizing agents, and strong reducing agents.

10.6. Hazardous decomposition products

The product is not degraded when used as specified in section 1.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity Substance **Species** Test Route of exposure Result acetic acid ... % LC50 16000 ppm/4 h Rat Inhalation acetic acid ... % Rabbit LD50 Dermal 1060 mg/kg 3310 mg/kg acetic acid ... % Rat LD50 Oral paraffinolier, sulfochlorerede... Rat LD50 Oral 1271 mg/kg paraffinolier, sulfochlorerede... LD50 Dermal > 5000 mg/kg Rat amider. kokos-. N.N-bis-Rat LD50 Oral > 2000 mg/kg Rabbit LD50 Dermal > 2000 mg/kg (hydro.. amider, kokos-, N,N-bis-Rat LD50 Oral > 500 - 2000 mg/kg LD50 > 4000 mg/kg (hydro... Rat Dermal Fedtalkoholethoxvlat > 2000 mg/kg LD50 Oral Rat Fedtalkoholethoxylat Dermal > 2000 mg/kg Rat LD50 Alanine, N,N-Rat LD50 Oral > 2000 mg/kg bis(carboxymethyl... Alanine, N,Nbis(carboxymethyl... alpha,-Alkyl,C10-16,omega,hyd...

Skin corrosion/irritation

Data on substance: Alanine, N,N-bis(carboxymethyl)-, trisodium salt Test: OECD Guideline 404 Organism: Rabbit Result: Ikke irriterende

Serious eye damage/irritation

Causes serious eye irritation. Respiratory or skin sensitisation

No data available.

Germ cell mutagenicity

Data on substance: Fedtalkoholethoxylat

No adverse effect observed.

Data on substance: Alanine, N,N-bis(carboxymethyl)-, trisodium salt Test: OECD Guideline 471 Result: negativ No adverse effect observed.

Data on substance: alpha,-Alkyl,C10-16,omega,-hydroxypoly,oxyethylene,sulfate,sodium,salt No adverse effect observed.

Carcinogenicity

Data on substance: Fedtalkoholethoxylat No adverse effect observed.

Data on substance: Alanine, N,N-bis(carboxymethyl)-, trisodium salt Organism: Rat Result: negativ No adverse effect observed.

Data on substance: alpha,-Alkyl,C10-16,omega,-hydroxypoly,oxyethylene,sulfate,sodium,salt No adverse effect observed.

Reproductive toxicity

Data on substance: Fedtalkoholethoxylat No adverse effect observed.



Data on substance: Alanine, N,N-bis(carboxymethyl)-, trisodium salt No adverse effect observed.

Data on substance: Alanine, N,N-bis(carboxymethyl)-, trisodium salt

Data on substance: alpha,-Alkyl,C10-16,omega,-hydroxypoly,oxyethylene,sulfate,sodium,salt No adverse effect observed.

STOT-single exposure No data available.

STOT-repeated exposure

No data available.

Aspiration hazard

No data available.

Long term effects

Irritation effects: This product contains substances, which may cause irritation upon exposure to skin, eyes or lungs. Exposure may result in an increased absorption potential of other hazardous substances at the area of exposure.

SECTION 12: Ecological information

12.1.	Toxicity				
	Substance	Species	Test	Duration	Result
	acetic acid %				
	acetic acid %				
	paraffinolier, sulfochlorerede				
	paraffinolier, sulfochlorerede				
	paraffinolier, sulfochlorerede	Fish	LC50	24 h	251 mg/L
	amider, kokos-, N,N-bis-	Daphnia	IC50	96 h	47 mg/L
	(hydro	Daphnia	EC50	48 h	4,72 mg/L
	amider, kokos-, N,N-bis-	Algae	IC50	72 h	246,89 mg/L
	(hydro	Fish	LC50	96 h	4,16 mg/L
	amider, kokos-, N,N-bis-	Fish	LC50	96 h	2,4 mg/L
	(hydro	Daphnia	EC50	48 h	3,2 mg/L
	Fedtalkoholethoxylat	Algae	ErC50	72 h	2,1 mg/L
	Fedtalkoholethoxylat	Fish	LC50	96 h	10 - 100 mg/L
		Daphnia	EC50	48 h	10 - 100 mg/L
	Fedtalkoholethoxylat	Algae	EC50	72 h	10 - 100 mg/L
	Alanine, N,N-	Fish	LC50	96 h	> 200 mg/L
	bis(carboxymethyl	Daphnia	EC50	48 h	> 200 mg/L
	Alanine, N,N-	Algae	EC50	72 h	> 200 mg/L
	bis(carboxymethyl	Fish	LC50	96 h	> 1 mg
	Alanine, N,N-				-
	bis(carboxymethyl				
	alpha,-Alkyl,C10-16,omega,-				
	hyd				
12.2.	Persistence and degrada	bility			
	Substance	Biodegradability		Test	Result
	paraffinolier, sulfochlorerede	Yes		Modified OECD Screening Test	82 %
	Fedtalkoholethoxylat	Yes		No data available	No data available
12.2	Bioaccumulative potentia				
12.3.			1.0		505
	Substance	Potential bioaccumulation		LogPow	BCF
	paraffinolier, sulfochlorerede	No		2.27	No data available
	Fedtalkoholethoxylat	No		No data available	No data available
	Alanine, N,N-	No		-4	No data available
	bis(carboxymethyl	110		-	
124	Mobility in soil				
	· · · · · · · · · · · · · · · · · · ·	do il og Koo- 1 976		ad from LogDow (High mobility	(notontial)
paraffinolier, sulfochlorerede: Log Koc= 1,876013, Calculated from LogPow (High mobility potential.).					
Alanine, N,N-bis(carboxymethyl: Log Koc= -3,0892, Calculated from LogPow (High mobility potential.).					
12.5. Results of PBT and vPvB assessment					
No data available					
12.6. Other adverse effects					
12.0.					
	No special				

No special

SECTION 13: Disposal considerations



13.1. Waste treatment methods

Product is not covered by regulations on dangerous waste.

- Waste EWC code
- detergents containing dangerous substances
- 20 01 29* Specific labelling

Contaminated packing

Packaging containing residues of the product must be disposed of similarly to the product.

SECTION 14: Transport information

14.1 - 14.4

Not dangerous goods according to ADR, IATA and IMDG.

A	D	R/	R)	

14.1. UN number	-
14.2. UN proper shipping name	-
14.3. Transport hazard class(es)	-
14.4. Packing group	-
Notes	-
Tunnel restriction code	-
IMDG	
UN-no.	-
Proper Shipping Name	-
Class	-
PG*	-
EmS	-
MP**	-
Hazardous constituent	-
IATA/ICAO	
UN-no.	-
Proper Shipping Name	-
Class	-
PG*	-

14.5. Environmental hazards

14.6. Special precautions for user

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code No data available

(*) Packing group (**) Marine pollutant

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Restrictions for application

People under the age of 18 shall not be exposed to this product cf. Council Directive 94/33/EC of 22 June 1994 on the protection of young people at work. Demands for specific education

Additional information

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct



request or at the request of a detergent manufacturer.

Sources

Council Directive 94/33/EC of 22 June 1994 on the protection of young people at work. The Control of Substances Hazardous to Health Regulations 2002. SI 2002/2677. The Stationery Office, 2002.

Regulation (EC) No 648/2004 of the European Parliament and of the Council of 31 March 2004 on detergents.

REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006 (CLP). EC regulation 1907/2006 (REACH).

15.2. Chemical safety assessment

No

SECTION 16: Other information

Full text of H-phrases as mentioned in section 3

- H226 Flammable liquid and vapour.
- H302 Harmful if swallowed.
- H314 Causes severe skin burns and eye damage.
- H315 Causes skin irritation.
- H318 Causes serious eye damage.
- H319 Causes serious eye irritation.

The full text of identified uses as mentioned in section 1

Other symbols mentioned in section 2

Other

In accordance with Regulation (EC) No. 1272/2008 (CLP) the evaluation of the classification of the mixture is based on:

The classification of the mixture in regard of health hazards are in accordance with the calculation methods given by Regulation (EC) No. 1272/2008 (CLP)It is recommended to hand over this safety data sheet to the actual user of the product. Information in this safety data sheet cannot be used as a product specification. The information in this safety data sheet applies only to this specific product (mentioned in section 1) and is not necessarily correct for use with other chemicals/products.

A change (in proportion to the last essential change (first cipher in SDS version, see section 1)) is marked with a blue triangle.

The safety data sheet is validated by

MH Date of last essential change (First cipher in SDS version) 2016-09-28 Date of last minor change (Last cipher in SDS version) 2016-10-12

ALPHAOMEGA. Licens nr.:3221182277, 6.2.0 www.chymeia.com